

© EPODOC / EPO

PN - DE19851935 C1 20000706
 TI - Stand for musical wind instrument with bell, particularly trumpet, comprises support with shape matching extensively instrument bell externally and internally, over which ball can be placed
 AB - The stand is particularly for a bell of a trumpet and comprises a support (1), the shape of which matches extensively the bell of the instrument, both externally and internally. The bell can be placed over the support. In the lower part of the support a socket (4) with an inner thread (8) and a holder (9) with an outer thread (10) is fixed. The holder can be screwed into the socket. The holder has a hood (19) which has a coaxial pin (20) and slots (15) in the wall of the hood continue into the pin. A one-piece closure member (27) is provided, which has a plate (28) to which feet (12) closure parts stand vertically. The closure member is connected in positive engagement with the holder.
 EC - G10G5/00
 PA - KOENIG & MEYER GMBH & CO KG [DE]
 IN - LIPPERT HELMUT [DE]
 CT - DE4205143 C1 []; DE3318102 A1 []
 CTNP - [] König und Meyer Gesamtkatalog 1991, S. 18
 AP - DE19981051935 19981111
 PR - DE19981051935 19981111
 DT - *

© WPI / DERWENT

AN - 2000-452852 [40]
 TI - Stand for musical wind instrument with bell, particularly trumpet, comprises support with shape matching extensively instrument bell externally and internally, over which ball can be placed
 AB - DE 19851935 NOVELTY - The stand is particularly for a bell of a trumpet and comprises a support (1), the shape of which matches extensively the bell of the instrument, both externally and internally. The bell can be placed over the support. In the lower part of the support a socket (4) with an inner thread (8) and a holder (9) with an outer thread (10) is fixed. The holder can be screwed into the socket.
 - DETAILED DESCRIPTION - The holder has a hood (19) which has a coaxial pin (20) and slots (15) in the wall of the hood continue into the pin. A one-piece closure member (27) is provided, which has a plate (28) to which feet (12) closure parts stand vertically. The closure member is connected in positive engagement with the holder.
 - USE - As a stand is easy to produce.
 - DESCRIPTION OF DRAWING(S) - The figure presents an axial section of the stand, with feet upwardly pivoted into the support, only one foot being shown for the make of simplification.
 - support 1
 - socket 4
 - socket inner thread 8
 - holder 9
 - holder outer thread 10
 - feet 12
 - slots in wall of hood 15
 - hood 19
 - coaxial pin 20
 - closure member 27
 - plate 28
 - (Dwg.3/28)
 IW - STAND MUSIC WIND INSTRUMENT BELL TRUMPET COMPRISE SUPPORT SHAPE MATCH EXTEND INSTRUMENT BELL EXTERNAL INTERNAL BALL CAN PLACE
 PN - DE19851935 C1 20000706 DW200040 G10G5/00 015pp
 IC - G10G5/00
 DC - P 86
 PA - (KOEN-N) KOENIG & MEYER GMBH & CO KG

DE19851935

IN - LIPPERT H
AP - DE19981051935 19981111
PR - DE19981051935 19981111




Fig.1




Fig.2




Fig.3




Fig.4




Fig. 5




Fig.6




Fig. 10




Fig. 7




Fig. 8




Fig. 11




Fig. 12




Fig. 9










Fig.13






Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28